Index for Volume 16 (1967)

COMPILED BY MARY SUE SCHNELL

Acanthochitin discrepans, 158
Acari, 177–207
Acmea esebria, 302
Actinote mamite, 302
Additional studies of chromosomes of anuran amphibians, 38–43
Aedes
  aberratus, 110
  aegypti, 110, 252
  atropalpus, 110, 252
  aurifer, 110, 252
  canadensis, 110, 252
  cantator, 110, 252
  cinereus, 110, 252
  communis, 110, 252
  excrucians, 110, 252
  fitchii, 110, 252
  intrudens, 110, 252
  punctor, 110, 252
  sollicitans, 110, 252
  sticticus, 110, 252
  stimulans, 110, 252
  taeniorhynchus, 110, 252
  trichurus, 110, 252
  triseriatus, 110, 252
  trivittatus, 110, 252
  vexans, 110, 252
Again about specific names, 278
Alauda arvensis, 179
Alces alces, 127
Alopex lagopus, 127
Allodermanyssus, 177–205
Allomorphosis,
  cerambycid beetle, 90–94
  individual, 91–92
  race, 92–93
Allomorphosis and geography in insect populations, 90–94
Alloxenia, 175
Alseonax lendu, 270
Alytes obstetricans, 41
Amines, biogenic, 328–341
Amphibians,
  anuran, 38–43
  chromosomes of, 38–43
  leptodactylid frogs, 328–341
Anaea
  aidea, 302
  clytemnestra, 213
  fabius, 214
Analogy, 355–359
  definition of, 101
Analysis,
  cluster, 113–115, 183–189, 194, 195, 198
  component, 208–211
  graphic, 188–190
Ancistrocerus catskill, 261
Annelid theory, 153–154
Annelids (see also Molluscs and —)
  origin of, 153–168
  polychaete, 159
Anolis
  aeneus, 138–143
  bonairensis, 138–141
  chrysolepis, 137–139
  lineatus, 137–139
  luciae, 138–139
  oculatus, 137–141
  richardi griseus, 138–139
  r. richardi, 138–142
  roquet, 137–143
  r. extremus, 138–142
  r. roquet, 138–142
  trinitatis, 141–143
Anomoea hogei, 60
Anopheles, 244
  barberi, 110
  bradleyi, 110
  crucians, 110
  earlei, 110
  punctipennis, 110
  quadrimaculatus, 110
  walkeri, 110
Apodemia palmeri, 302
Arctocephalus doriferus, 351
Asyndesmus lewis, 204
Atelopodidae, 39, 42
Atelopus
  stelzneri, 39
  varius, 39, 42
Atkins, Leonard, see Gorman, George C., and —

Bader, Robert S., see Wallace, James T., and —
Baker, Rollin H., Distribution of recent mammals along the Pacific coastal lowlands of the Western Hemisphere, 28–37
Batrachophrynus, 39
  macrostomum, 330
  patagonicus, 330
Battus philenor, 301
Batyleoma suturale, 60
Beetles,
  cerambycid, 90–94
  immunotaxonomy of, 56–63
  may, 56
Bering Strait, 127–136
Biological similarities and homologies, 101–102
Bionumeric code application in handling complex and massive faunal data, a, 52–55
Birch, L. C., and P. R. Ehrlich, Evolutionary history and taxonomy, 282–285
Blackwelder, R. E., A critique of numerical taxonomy, 64–72

Bombina
bombina, 41
orientalis, 41
variegata, 41
Bombinator pachypus, 41
Bothroles canaliculatus, 60
Bowman, R. I., The Galapagos, (rev.), 169–170
Brown, Keith S., Chemotaxonomy and chemomimicry: the case of 3-hydroxykynurenine, 213–216
Bryozoa, 276–278
Buck, Roger, see Hull, David L., and —
Bufo
granulosus dorbignyi, 39
houstonensis, 39
marmoreus, 39, 42
perplexus, 39, 42
Bufonidae, 39, 42
Bullis, Harvey R., and Richard B. Roe, A bionumeric code application in handling complex and massive faunal data, 52–55
Butler, John E., and Charles A. Leone, Immunotaxonomic investigations of the Coleoptera, 56–63
Butterfly,
adult taxonomy, 301–317
nymphalid, 213–216
phenetic relationships, 301–317
Byers, George W., abstracts by, 263; see Society of Systematic Zoology, Report of the Editor for 1966

Cacopoides tornieri, 41
Caligo oilleus, 302
Calinaga buddha, 302
Calosoma
alternans, 59
externum, 59
lecontei, 59
scrutator, 59
Calyptocephalella gayi, 330
Canis lupus, 127
Castor
canadensis, 128
fiber, 128
Catonephele, 213–214
acontius, 214
Cei, J. M., V. Erspamer, and M. Roseghini, Taxonomic and evolutionary significance of biogenic amines and polypeptides occurring in amphibian skin. I. Neotropical leptodactylid frogs, 328–342
Centroid projections, 197–200
Centrolenella prosoblepon, 41, 42
Centrolenidae, 41, 42
Ceratophrys ornata, 39, 41
Cervus elaphus, 127
Cetacea, 174
Chelymorpha cassidea, 61
Chemomimicry, 213–216
Chemotaxonomy and chemomimicry: the case of 3-hydroxykynurenine, 213–216
Chlamydomonas, 244
Chromosomes,
anuran amphibian, 38–43
comparative cytology of anoles, 137–143
evolution and speciation in *Sceloporus*, 296–299
Chrysochus auratus, 60
Chrysococcyx, 175
Citellus undulatus, 127
Classification of non-nomenclatural ranges of biological variation, 171
Classification, purpose of, 241–245
Clemens, William A., review by, 343–344
Clethrionomys rutilus, 127
Cliona celata, 243
Cluster analysis, 113–115, 183–189, 194, 195, 198
Cochranella
albomaculata, 41, 42
fleischmanni, 41
granulosa, 41, 42
Coding system, bionumeric, 52–55
Coelom,
origin in molluscs and annelids, 164–168
origin of segmentation, 164–168
Colaptes cafer, 179, 204
Cole, Charles J., see Lowe, Charles H., and —
Coleoptera, immunotaxonomy of, 56–63
Colless, Donald H., An examination of certain concepts in phenetic taxonomy, 6–27
Colless, Donald H., The phylogenetic fallacy, 289–295
Collocalia fuciphaga, 179
Colobura dirce, 213
Coloration, house sparrow, 78–80, 84–86
Comments concerning the future of taxonomic entomology, 274–275
Competitive inferiority of the multituberculates, comments on the, 352–355
Component analysis, 208–212
Consistency test, phylogenetic hypotheses, 104, 289–290
Contour diagrams, Dermanyssidae, 190–193
Controversy over diphyly in pinnipeds, 350–351
Correlated characters in numerical taxonomy, 109–126
Correlational studies,
Q-type analysis, 110–115
R-type analysis, 115–123
Cracraft, Joel, Comments on homology and analogy, 355–359
Critique of numerical taxonomy, a, 64–72
Crossodactylus, 329
Culex, 244
pipiens, 110, 252
quinquefasciatus, 110, 252
restuans, 110, 252
salinarius, 110, 252
territans, 110, 252
Culiseta
alaskaensis, 110
impatiens, 110
incidens, 110

inornata, 110, 252
melanura, 110
minnesotae, 110
morsitans, 110, 252
particeps, 110
Cyclorhamphus fuliginosus, 330
Cynaeus angustus, 60

Danaus plexippus, 302
Data centering: a review and evaluation with reference to component analysis, 208–212
Data processing, 278–281
Dayhoff, Margaret O., see Eck, Richard V., and —
Definitions of taxa, 174–175
Definitions of taxa, 349
Dendrobates pumilio, 39, 42
Dendrobatidae, 39, 42
Dendrocopos
leucotos, 179
villosus, 179
Dermanyssidae, 177–207
Dermanyssus
alaudae, 179
americanus, 179
brevis, 179
chelidonis, 179
gallinae, 179
grochovskae, 179
hirsutus, 179
hirundinis, 179
intermedius, 179
prognephilus, 179
quintus, 179
transvaalensis, 179
triscutatus, 179
Descriptions of new species and the use of holotypes still valuable, 264–265
Diagrams, contour, 190–193
Diakinesis, 140, 141
Dimensional measurements, house sparrow, 76–84
Desert, North American, 296–299
Diabroctica duodecimpunctata, 61
Dicrostonyx torquatus, 127
Dillon, Lawrence S., Why "supposed" subspecies in North American house sparrows?, 286
Diptera, species naming, 267
Disappearance of multituberculates, 172–173
Discoglossus pictus, 41
Distribution, geographic,
Sceloporus clarki, 298–299
S. magister, 299
Sorex, 127–136
Distribution of recent mammals along the Pacific coastal lowlands of the Western Hemisphere, 28–37
Drosophila melanogaster, 244
Duellman, William E., Additional studies of chromosomes of anuran amphibians, 38–43

Eck, Richard V., and Margaret O. Dayhoff, Atlas of protein sequence and structure, 1966 (rev.), 262–263
Ectoprocta, 276–278
literature of, 318–327
Ectopsocopsis cryptomeriae, 219–240
Ectopsocus
basalis, 219–240
briggsi, 219–240
cinctus, 219–240
fullawayi, 219–240
hirsutus, 219–240
maindroni, 219–240
meridionalis tridentatus, 219–240
ornatus, 219–240
perkinsi, 219–240
pumilis, 219–240
richardsi, 219–240
titschacki, 219–240
Ehrlich, Paul R., and Anne H. Ehrlich, The phenetic relationships of the butterflies. I. Adult taxonomy and the nonspecificity hypothesis, 301–317
Ehrlich, P. R., see Birch, L. C., and —
Eichler, Wolfdietrich, Concerning an international taxonomic register, 176
Eleutherodactylus
augusti cactorum, 38, 42
bufoniformis, 330
ranoides, 330
Elosia
aspera, 330
lateristrigata, 330
Elymnias vitella, 302
Enantia melite, 302
Entoprocta, 276–278
Epicauta
conferta, 59
lemniscata, 59
Eremophila alpestris, 179
Erspamer, V., see Cei, J. M., and —
Escherichia coli, 244
Euchloe ausonides, 302
Euparkella, 329
Eupemphix nattereri, 332
Euphydryas editha, 302
Eupsophus
nodosus, 330
roseus, 330
Euselasia hygenius, 302
Everes comyntas, 302
Evolution,
house sparrows, 73–89
karyotype, 296–300
Evolutionary terms for parasitic species, 175
Examination of certain concepts in phenetic taxonomy, an, 6–27

Factor analysis in morphometric traits of the house mouse, 144–148
Farris, James S., Definitions of taxa, 174–175
Farris, James S., The meaning of relationship and taxonomic procedure, 44–51
Farris, James S., Comment on psychologism, 345–347

Flatworm, triclad, 161
Flicker, red-shafted, 204
Flycatcher, African, 270
Fowl, domestic, 180
Friedmann, Herbert, Evolutionary terms for parasitic species, 175
Frogs, leptodactylid, 328–341
Further remarks on logical errors in systematic theory, 347–348

Gallus gallus, 179
Gastrotheca ceratophrys, 39, 40, 42
Geobatrachus, 329
Ghiselin, Michael T., Further remarks on logical errors in systematic theory, 347–348
Gloger's ecogeographic rule, 85
Goddess changes sex, or the gender game, 349–350
Gorman, George C., and Leonard Atkins, The relationships of the *Anolis* of the *Roquet* species group (Sauria: Iguanidae). II. Comparative chromosome cytology, 137–143
Grantia compressa, 243
Graphium philolaus, 301
Gulo gulo, 127
Gurney, Ashley B., Descriptions of new species and the use of holotypes still valuable, 264–265

Hamilton, Terrell H., Process and pattern in evolution (rev.), 262
Harpalus
  caliginosus, 59
  pennsylvanicus, 59
Hawaii project, 97–99
Heleophrynus, 329
Heliconius
  charitonius, 302
  ethillus, 214
  nattereri, 214
  sarae, 216
Hersh, Robert T., review by, 262–263
Hesperiidae, 302
Hierarchy of monophyly and polyphyly, the, 102–103
Hirundo
  rustica, 179
  spilodera, 179
Hodges, Ronald W., see Society of Systematic Zoology, Report of the Secretary for 1966
Hoffman, Robert S., and Richard S. Peterson, Systematics and zoogeography of *Sorex* in the Bering Strait area, 127–136
Holm, Richard W., see Raven, Peter H., and —
Holotypes, 264–265
Homology, 101–102, 275–276
  cladistic, 102
  discrete, 102
  field, 102
  patristic, 102
  serial, 101–102
Homology and analogy, comments on, 355–359
Homonomy, see homology, serial
Homoplasy, 101
Homoxenia, 175
Hopson, James A., Comments on the competitive inferiority of the multituberculates, 352–355
House sparrows: evolution of populations from the Great Plains and Colorado Rockies, 73–89
Hubbell, Theodore H., Chairman, Program of the systematics and biogeography subcommittee of the U.S. National Committee for the International Biological Program, 97–99
Hull, David L., and Roger Buck, Definitions of taxa, 349
Hyla
  angiana, 39, 42
  arborea, 39
  arfakiana, 39, 40, 42
  becki, 39, 40, 42
  bistincta, 39
  boulengeri, 39, 42
  caerulea, 338
  darlingtoni, 39, 42
  elaeochroa, 39, 42
  erythromma, 39, 42
  legleri, 39, 42
  microcephala, 39, 42
  pentheter, 39
  phlebodes, 39, 40, 42
  plebodes, 39
  rufioculis, 39, 42
  rufitela, 39, 42
  staufferi, 39, 42
Hylidae, 39, 42
Hypoleria, 214

Iguana, 137–143
Immunotaxonomic investigations of the Coleoptera, 56–63
International Biological Program, 97–99
International code of zoological nomenclature, comments on, 268–273
International taxonomic register, concerning an, 176
Invertebrates, preservation of alcoholic collections, 173–174
Iridoprocne bicolor, 180
Ituna ilione, 302

Janzen, Daniel H., review by, 169–170
Johnston, Richard F., review by, 262
Jones, Meredith L., review by, 170; see Society of Systematic Zoology, Report of the Treasurer for 1966

Kaloula borealis, 41
Karyotype evolution and speciation in lizards (genus *Sceloporus*) during evolution of the North American desert, 296–300
Keen, Myra, abstract by, 263
Key, K. H. L., Operational homology, 275–276
Kiriakoff, Sergius G., On the nomenclature of the superspecies, 281–282
Krombein, Karl V., Trap-nesting wasps and bees: life histories, nests, and associates (rev.), 261–262

Landry, Stuart O., Jr., Disappearance of multituberculates, 172–173
Latheticus oryzae, 60
Latin America, study in tropical, 98
Lemmus sibericus, 127
Leone, Charles A., see Butler, John E., and —
Lepidobatrachus
asper, 337
salinicola, 337
Lepidoptera, 213
Leptinotarsa sp., 61
Leptodactylidae, 38–39, 42
Leptodactylus
bolivianus, 335
bufonius, 38, 333
caliginosus petersi, 333
c. podicipinus, 333
chaquensis, 38, 336
curtus, 333
gracilis, 333
laticeps, 334
llanensis, 337
melanonotus, 333
mystacinus, 333
ocellatus, 38, 335
pachypus dengleri, 334
p. labyrinthicus, 334
pachypus pentadactylus, 334
prognathus, 38, 333
rubido, 333
sibilatrix, 333
Lepus timidus, 127
Levels of organization approach, 1–5
Libythea bachmani, 302
Libytheidae, 302
Linnaean nomenclature: an aid to data processing, 278–281
Lipps, Jere H., review by, 95–96
Liponyssoides
intermedius, 204
muris, 204
sanguineus, 179–205
Literature of the phylum Ectoprocta: 1555–1963, 318–327
Lizard (see also *Anolis*),
Clark's spiny, 298
desert spiny, 299
evolution and speciation, 296–300
Loeblich, Alfred R., and Helen Tappan, Annotated index and bibliography of calcareous nannoplankton (rev.), 95–96
Loeblich, Alfred R., Jr., and Alfred R. Loeblich III, Index to the genera, subgenera, and sections of the Pyrrhophyta (rev.), 95–96
Loeblich, Alfred R., III, see Loeblich, Alfred R., Jr., and —
Lowe, Charles H., Charles J. Cole, and James L. Patton, Karyotype evolution and speciation in lizards (genus *Sceloporus*) during evolution of the North American desert, 296–300
Lutra
canadensis, 128
lutra, 128
Lycaenidae, 302
Lynx
canadensis, 128
lynx, 128
Lysapsus, 329

Mammals,
distribution of, 28–37
Nearctic division (Pacific coastal lowlands), 30–31, 33–34
Neotropical division (Pacific coastal lowlands), 31–37
shrews, 127–135
Mansonia
perturbans, 109–123
smithii, 252
Martes
americana, 128
martes, 128
zibellina, 128
Martin, purple, 180
Mason, L. G., Allomorphosis and geography in insect populations, 90–94
Meaning of relationship and taxonomic procedure, the, 44–51
Megachile policaris, 261
Megaelosia, 329
Melanotus sp., 60
Merinus laevis, 60
Method of scaling for a mixed set of discrete and continuous variables, a, 149–152
Mexico, 299
Microtus
gregalis, 127
oeconomus, 127
Millar, R. H., Marine invertebrates of Scandanavia, number 1, Tunicata Ascidiacea (rev.), 170
Ministrymon leda, 302
Mitchell, Edward, Controversy over diphyly in pinnipeds, 350–351
Mites, dermanyssid, 177–207
Molluscs, origin, 153–168
Molluscs and annelids,
common origin, 155–156
origin of coelom, 164–166
origin of coelomic segmentation, 164–166
origin of common stock, 163–164
separation of, 156–163
Monophyly, 102–103
Morpho peleides, 302
Mosquito,
Anopheles, 244
Culex, 244
culicine, many species, 247–259
many species, 109–126
Moss, W. Wayne, Some new analytic and graphic approaches to numerical taxonomy, with an example from the Dermanyssidae (Acari), 177–207

Mouse, house, 144–148
Multituberculates,
competitive inferiority, 352–355
disappearance of, 172–173
Mus musculus, 144–148, 179
Mustela
erminea, 127
nivalis, 127
Mutica, 174
Myiarchus yucatanensis lanyoni, 270
Myscelia, 213

Names of phyla: Ectoprocta and Entoprocta, and Bryozoa, 276–278
Nearctic division, Pacific coastal lowlands, 30–31, 34–37
Neopilina
ewingi, 153, 157
galatheae, 153, 157, 160
veleronis, 153, 157
Neotropical division, Pacific coastal lowlands, 31–37
Nereis virens, 159
Noblella, 329
Nomenclature,
Linnaean, 278–279
traditional, 268–273
type system, 269–271
use of, 174–175
zoological, 349–350
Nomenclature of the superspecies, on the, 281–282
Nonspecificity hypothesis, 301–317
"Norge" jars, a substitute for Mason fruit-canning jars in preservation of alcohol collections of invertebrates, 173–174
NT–SYS, 125, 182, 247
Numerical taxonomic analysis of the Peripsocidae of the Oriental Region and the Pacific basin, a, 217–240
Numerical taxonomy, see taxonomy, numerical
Numericlature, 271–272
Nyctimystes
foricula, 39, 42
kubori, 39, 42
papua, 39, 42
semipalmata, 39, 42
Nymphalidae, 213–216, 302
Nymphalis milberti, 302

Ochotona collaris, 127
Odontophrynus
americanus, 39, 41, 337
occidentalis, 337
Oeneis
chryxus, 302
c. ivallda, 215
Oldroyd, Harold, On comments concerning the future of taxonomic entomology, 274–275
Operational homology, 275–276
Optical scanning, 246–259
Origin of molluscs, the coelom, and coelomic segmentation, on the, 153–168
Orloci, Laszlo, Data centering: a review and evaluation with reference to component analysis, 208–212
Orthopodomyia
alba, 110–123, 252
signifera, 110–123, 252
Oryzaephilus surinamensis, 60
Ovibos moschatos, 127
Ovis nivicola, 127

Pacific basin, 217–240
Pacific coastal lowlands, 28–37
Packard, Gary C., House sparrows: evolution of populations from the Great Plains and the Colorado Rockies, 73–89
Pagophilus groenlandicus, 350
Paleontological records, 279–280
Palorus ratzeburgii, 60
Panoquina ocola, 302
Papilio
glaucus, 301
multicaudata, 301
Papilionidae, 301
Parasitic species, evolutionary terms for, 175
Parkes, Kenneth C., A qualified defense of traditional nomenclature, 268–273
Parnassius phoebus, 301
Passer domesticus, 73–89, 179, 286, 286–287
Passerculus
sandwichensis, 270
s. anthinus, 270
Patton, James L., see Lowe, Charles H., Charles J. Cole, and —
Pelobates fuscus, 38
Pelobatidae, 38, 42
Peripsocidae, numerical taxonomic analysis of, 217–240
Peripsocus
bicornis, 219–240
didymus, 219–240
fasciatus, 219–240
pauliani, 219–240
pictus, 219–240
pseudoquercicola, 219–240
quercicola, 219–240
reicherti, 219–240
sclerotus, 219–240
similis, 219–240
spinosus, 219–240
variatus, 219–240
Peterson, Richard S., see Hoffman, Robert S., and —
Petrochelidon pyrrhonota, 179
Phenetic relationships of the butterflies. I. Adult taxonomy and the nonspecificity hypotheses, 301–317
Phenetic taxonomy, see taxonomy, phenetic; taxonomy, numerical
Phoca vitulina, 351
Phoebis sennae, 302
Phyllophaga
crassissima, 59

ephilida, 59
implicita, 59
Phylogenetic fallacy, the, 289–295
Phylogeny, 293–294
Physalaemus
biligonigerus, 332
bresslaui, 332
centralis, 332
cuvieri, 332
Pierella luna, 302
Pieridae, 302
Pieris protodice, 302
Pinnipedia, 350–351
Planetetherium, 172
Pleurodema
bibroni, 332
bufonina, 332
cinerea, 332
guayapae, 332
nebulosa, 332
tucumana, 332
Points of view, 101–104, 171–176, 264–287, 347–359
Polypedates burgeri, 41
Polypeptides, 328–342
Polyphyly, 102–103
Procerodes lobata, 161
Progne subis, 179
Program of the systematics and biogeography subcommittee of the U.S. National Committee for the International Biological Program, 97–99
Projections, centroid, 197–200
Prostherapis inguinalis, 39, 42
Pseudis, 329
paradoxa, 41
Pseudopaludicola falcipes, 38
Pseudopontia paradoxa, 302
Pseudoscada, 214
Purposes of classification, the, 241–245
Pyrrhopyge araxes, 302

Qualified defense of traditional nomenclature, a, 268–273

Rana
cyanophlyctis, 41
grisea, 41, 42
hexadactyla, 41
papua, 40, 41, 42
Randal, J. M., and G. H. Scott, Linnaean nomenclature: an aid to data processing, 278–281
Rangifer tarandus, 127
Ranidae, 41, 42
Raven, Peter H., and Richard W. Holm, Systematics and the levels-of-organization approach, 1–5
Recent publications in systematics, 263
Relationships of the *Anolis* of the *Roquet* species group (Sauria: Iguanidae), the, II. Comparative chromosome cytology, 137–143
Rhacophorus
eiffingeri, 41
maculatus, 41
schlegeli, 41
Rhinoderma darwini, 332
Roberts, Radclyffe B., review by, 261–262
Rodentia, 172–173
Roe, Richard B., see Bullis, Harvey R., and —
Rohlf, F. James, Correlated characters in numerical taxonomy, 109–126
Rohlf, F. James, and Robert R. Sokal, Taxonomic structure from randomly and systematically scanned biological images, 246–260
Roseghini, M., see Cei, J. M., V. Erspamer, and —

Scaling, taxonomic, 149–152
Scanning, optical, 246–259
Scaphiopus
bombifrons, 38, 42
hammondi, 38
holbrooki, 38
Sceloporus
clarki, 296–299
magister, 296–299
Schopf, Thomas J. M., The literature of the phylum Ectoprocta, 1555–1963, 318–327
Schopf, Thomas J. M., Names of phyla: Ectoprocta and Entoprocta, and Bryozoa, 276–278
Scott, G. H., see Randal, J. M., and —
Seal, harp, 350
Segmentation, coelomic, 164–166
Selander, Robert K., Why there are no subspecies of North American house sparrows, 286–287
Shrew, Beringian, 127–136
Sitophilus
granarius, 59
oryzae, 59
Sminthillus, 329
Smith, Hobart M., Biological similarities and homologies, 101–102
Smith, Hobart M., Classification of non-nomenclatural ranges of biological variation, 171
Smith, Hobart M., The hierarchy of monophyly and polyphyly, 102–103
Sneli, Jon-Arne, "Norge" jars, a substitute for Mason fruit-canning jars in preservation of alcohol collections of invertebrates, 173–174
Society of Systematic Zoology
Minutes of the annual business meeting, 105–108
Report of the Editor for 1966, 107–108
Report of the Secretary for 1966, 106
Report of the Treasurer for 1966, 106–107
Some new analytic and graphic approaches to numerical taxonomy, with an example from the Dermanyssidae (Acari), 177–207
Sokal, Robert R., see Rohlf, F. James, and —
Sorex
araneus, 129
arcticus, 127
a. borealis, 127
a. tundrensis, 129
caecutiens, 127
cinereus, 129
c. ugyunak, 130

hydrodromus, 127
jacksoni, 127
pribilofensis, 127
Sparrow,
house, 73–89, 286, 286–287
savannah, 270
Speciation of lizards, 296–300
Specific names, 278
Speyeria mormonia, 302
Sphyrapicus varius, 179
Sponges, 243
Steyskal, George C., Another view of the future of taxonomy, 265–268
Subgenus, new,
Dermanyssus, 205
Microdermanyssus, 204
Subspecies, house sparrows, 286, 286–287
Superspecies, nomenclature of, 281–282
Swallow, tree, 179
Systematics and the levels-of-organization approach, 1–5
Systematics and zoogeography of *Sorex* in the Bering Strait area, 127–136

Talkington, Lester, A method of scaling for a mixed set of discrete and continuous variables, 149–152
Tappan, Helen, see Loeblich, Alfred R., and —
Taxa, definitions of, 174–175, 349
Taxonomic and evolutionary significance of biogenic amines and polypeptides occurring in amphibian skin. I. Neotropical leptodactylid frogs, 328–342
Taxonomic procedure, meaning of, 44–51
Taxonomic register, international, 176
Taxonomic structure from randomly and systematically scanned biological images, 246–260
Taxonomy,
evolutionary history and, 282–285
evolutionary system of, 46–49
future of, 265–268
phenetic system, 45–46
scaling mixed variables, 149–152
relationship, meaning of, 44–51
Taxonomy, numerical, 301–317
analytic and graphic approaches, 177–207
correlated characters, 109–126
critique of, 64–72
dermanyssid mites, 177–207
Taxonomy, phenetic (see also Taxonomy, numerical), 6–27, 301–317
association concept, 19–24
characters and attributes, 7–13
definition of, 13–17
distance concept, 24–25
"unit" attributes and characters, 11–13
Tedford, Richard H., The fossil Macropodidae from Lake Menindee, New South Wales (rev.), 243–244
Telmatobius
halli, 330
hauthali, 330
jelskii, 330
montanus, 330
schreiteri, 39
Tenebrio
molitor, 59
obscurus, 59
Tetraopes tetraophthalmus, 60, 90–94
Thornton, Ian W. B., and Wong Siu Kai, A numerical taxonomic analysis of the Peripsocidae of the Oriental Region and the Pacific basin, 217–240
Thoropa
miliaris, 329
petropolitana, 330
Thyridia themisto, 215, 302
Tigridia latifascia, 213
Tomodactylus n. nitidus, 38, 40, 42
Tortonese, Enrico, Again about specific names, 278
Tribolium
castaneum, 59
destructor, 59
madens, 59
Turner, John R. G., Goddess changes sex, or the gender game, 349–350
Typophorus viridicyaneus, 60, 61

Uranotaenia sapphirina, 109–123, 252
Ursus arctos, 127

Vagvolgyi, Joseph, On the origin of molluscs, the coelom, and coelomic segmentation, 153–168
Validity of the "consistency test" for phylogenetic hypotheses, 104
Variation, biological, classification of non-nomenclatural ranges, 171
Variation, geographic
house sparrows, 84–86
Tetraopes tetraophthalmus, 90–94
View of the future of taxonomy, another, 265–268
Vireo olivaceus, 180
Vireo, red-eyed, 180
Vulpes vulpes, 127

Wallace, James T., and Robert S. Bader, Factor analysis in morphometric traits of the house mouse, 144–148
Warburton, Frederick E., The purposes of classification, 241–245
Why "supposed" subspecies in North American house sparrows?, 286
Why there are no subspecies of North American house sparrows, 286–287
Wilson, Edward O., The validity of the "consistency test" for phylogenetic hypotheses, 104
Wong, Siu Kai, see Thornton, Ian W., and —
Woodpecker, Lewis', 204
Wyeomyia smithii, 110–123

Xenopus laevis, 41

Yucca brevifolia, 299

Zoogeography,
Beringian *Sorex*, 127–136
Pacific coastal lowland mammals, 28–37